種類	不要ファイル/ディレクトリ
/opt配下	/opt/client/ /opt/cloudfn /opt/nebula /opt/release-commonappf.txt /opt/server/ /opt/serverspec/ /opt/testca/ /opt/trustStore/ /opt/nec/pf/eep/
/etc配下	/etc/munin/ /etc/httpd/ /etc/mongod.conf.rpmsave /etc/rabbitmq/ /etc/nsswitch.conf.rpmnew /etc/rc.d/init.d/disable-transparent-hugepages /etc/security/limits.d/99-nproc-nofile.conf /etc/sysconfig/storm /etc/systemd/system/eep-iot-event-hub.service.d /etc/systemd/system/eep-mqtt-event-broker.service.d
/usr配下	/usr/local/apache-storm-1.0.2/ /usr/local/apache-storm /usr/local/apache2-munin/ /usr/local/appf/ /usr/local/pgsql /usr/local/spark-2.0.1-bin-hadoop2.7/ /usr/local/spark /usr/local/zookeeper-3.4.9/ /usr/local/zookeeper /usr/local/bin/rspec /usr/local/src/zabbix-3.2.3 /usr/include/gnu/ /usr/bin/munindoc /usr/bin/munin-cron /usr/bin/munin-check /usr/sbin/munin-node /usr/sbin/munin-node-configure /usr/sbin/munin-run /usr/sbin/munin-sched /usr/sbin/munin-asyncd /usr/local/bin/rabbitmqadmin /usr/lib/systemd/system/eep-iot-event-hub.service /usr/lib/systemd/system/eep-mqtt-event-broker.service
/var配下	/var/log/appf/ /var/log/spark/ /var/log/munin/ /var/log/mongodb/ /var/log/httpd/ /var/log/tomcat_8070/ /var/log/tomcat_8080/ /var/log/tomcat_8410/ /var/log/tomcat_8420/ /var/log/tomcat_8430/ /var/log/rabbitmq/ /var/log/storm/ /var/run/spark/ /var/run/munin/ /var/run/tomcat/ /var/cache/fontconfig/ /var/lib/munin/ /var/lib/munin-node/ /var/lib/rabbitmq /var/lib/pgsql

/tmp配下	/tmp/hsperfdata_root/ /tmp/spark-events/ /tmp/hsperfdata_appf/ /tmp/sqlite-3.8.6-amd64-libsqlitejdbc.so /tmp/hadoop-appf/ /tmp/work
/root配下	/root/.erlang.cookie /root/.rnd /root/.ansible/
/配下	/data